

- Features
- Good Bunching
  - Double Coating
  - Superior Conductivity
  - Good Flexibility
  - High Quality Pvc
  - 100% Safe

[www.axidecables.com](http://www.axidecables.com)

Price List  
Effective from 1st April 2018

IS : 694



CM/L - 2637865

**axide**

AXIDE CAB PVC WIRE & CABLES



**HEAT SHIELD**

HTS PVC Insulated Industrial Cables


[axidecables@gmail.com](mailto:axidecables@gmail.com)



Flame Retardant (F.R) / Flame Retardant Low Smoke (F.R.L.S) P.V.C Insulated (Unsheathed) single core multi strand cable with Electrolytic Grade Annealed Copper Conductor up to 1100 Volt conforming/generally conforming to IS:694

1 F.R CABLES F.R.L.S CABLES	Nominal Area of Conductor in sq.mm.	Number/Nom. Dia* of Wire in mm	Current Rating amps	Over all dia approx	Price per 90mts	Price per 450mts	Price per 90mt F.R.L.S	Standard packing of coils
	0.50	16/0.20	4	-	600	-	-	32
	0.75	24/0.20	7	-	810	-	-	24
	1.0	14/0.30	1	-	1091	5455	1201	24
	1.5	22/0.30	13	3.0	1701	8505	1801	20
	2.5	36/0.30	18	3.1	2701	13505	2901	12
	4.0	56/0.30	24	3.8	4091	20455	4291	8
	6.0	84/0.30	33	4.4	6101	30505	6391	8

PVC Insulated (unsheathed) single core multi strand cable with Electrolytic Grade Annealed Copper Conductor suitable up to 1100 Volt grade generally conforming to IS:694

2 PVC FLEXIBLE CABLES 	Nominal Area of Conductor in sq.mm.	No. of Strands/ Nominal Dia* (no./mm)	Current Rating Amps.	Price per 100mts	Standard Packing
	10.0	140/0.30	51	11000	4
	16.0	101/0.45	66	18300	3
	25.0	157/0.45	86	27200	2
	35.0	220/0.45	95	38200	1
	50.0	314/0.45	140	54000	1
	70.0	354/0.50	215	75000	1
	95.0	484/0.50	260	103000	1
	120.0	614/0.50	305	126000	1
	150.0	750/0.50	355	160000	1
	185.0	925/0.50	415	197000	1
	240.0	1221/0.50	500	251000	1
	300.0	1521/0.50	585	316000	1
400.0	2036/0.50	695	428000	1	


PVC Insulated and PVC sheathed cable with Electrolytic Grade Annealed Copper Conductor having 3 core flat for Submersible Pump Motors voltage up to and including 1100V as per / Generally conforming to IS:694:1990

3 SUBMERSIBLE CABLES	Nominal Area of Conductor in sq.mm.	No. of Strands/ Nominal Dia* (no./mm)	Current Rating Amps.	Overall Dimensions Size (Approx)	Price per Meter
	1.5	22/0.30	16	11.0* x 5.0	74
	2.5	36/0.30	22	13.0* x 6.0	106
	4.0	56/0.30	29	15.0* x 6.7	150
	6.0	84/0.30	37	18.6* x 8.0	236
	10.0	140/0.30	46	21.0* x 9.5	390
	16.0	101/0.45	62	24.5* x 10.7	575
	25.0	157/0.45	80	30.6* x 13.5	880
	35.0	220/0.45	102	34.4* x 14.7	1280

Transparency Speaker Cables With two core tinned copper and other bare copper

4 SPEAKER CABLES	Description	Price per 90mt	5 TELEPHONE CABLES	Description	Price per 90mt
	14/60	850		1 Pair	760
	23/60	1320		2 Pair	1070
	40/60	2200			
	80/76	6800	Note : 3 to 100 Pair 550/- each pair 100 mts Taped with Bare copper F.R.P.V.C		

PVC Insulated single core cable unsheathed solid stand copper wire (Industrial cable) Voltage Grade 1100 Volts as per IS:694 Twisted

<b>6</b> <b>SOLID STAND WIRES</b> 	Number/Dia of Wire in inches	Nominal Area of Conductor in Sq.mm	Price per 90 mt coils	Price per 450 mt coils	Standard packing no of Coils
	1/38 (1/18)	0.75 sq.mm	1030	-	20
	1/44 (1/18)	1.0 sq.mm	1200	-	20
	3/32 (3/22)	-	1800	-	8
	3/36 (3/20)	2.5 sq.mm	2640	13200	8
	3/36 (3/20)	2.5 sq.mm Dual SPL	2800	14000	8
	7/29 (7/22)	-	3630	-	6
	7/34 (7/20)	4.0 sq.mm	5300	26500	6
	7/36 (7/20)	4.0 sq.mm Dual SPL	5480	27400	6
	7/041 (7/18)	6.0 sq.mm	7350	36750	5
	7/053 (7/17)	10.0 sq.mm	11800	-	4
	7/067 (7/16)	16.0 sq.mm	17350	86750	3
	19/051 (19/17)	25.0 sq.mm	28500	-	1
	19/060 (19/16)	35.0 sq.mm	40500	-	1
	19/070	50.0 sq.mm	58600	-	1
37/064 (37/16)	70.0 sq.mm	82000	-	1	
37/071	95.0 sq.mm	113000	-	1	

PVC Insulated single core unsheathed solid stand aluminium cable voltage Grade 1100 volts as per IS:694 Twisted

<b>7</b> <b>ALUMINUM SOLID CABLES</b>	Number/Dia* of Wire in inches	Nominal area of conductor in sq.mm	Price per 90 mt	Price per 450 mt	Standard packing of coils
	3/20 (3/36)	2.5 sq.mm	560	-	20
	7/20 (7/36)	4.0 sq.mm	1060	5300	10
	7/18 (7/44)	6.0 sq.mm	1470	7350	10
	7/16 (7/64)	16.0 sq.mm	2700	13500	6
	19/16 (19/64)	35.0 sq.mm	7200	36000	3

<b>8</b> <b>ALUMINUM TWIN FLAT</b>	Description	Nominal area of conductor in sq.mm	Price 400 mt
	1/2.24	Twin blue	10000
	1/2.78	Twin white	15200

PVC Insulated single core unsheathed aluminium cable voltage Grade 1100 volts as per IS:694 Twisted

<b>9</b> <b>ALUMINUM SINGLE CORE CABLES ONLY BLACK COLOUR</b>	Nominal area of conductor in sq.mm	Price per Meter	<b>10</b> <b>ALUMINUM SOLID C.T.S(WHITE) CABLES</b>	Description	Price per 90mts	Price per 450mts
	25 sq.mm	49		3/20(3/36)	600	-
	35 sq.mm	69		7/20(7/36)	1180	5900
	50 sq.mm	105		7/18(7/44)	1600	8000
	70 sq.mm	150				
	95 sq.mm	200				
	120 sq.mm	250				
	150 sq.mm	330				
185 sq.mm	390					

<b>11</b> <b>COPPER SOLID C.T.S(WHITE) CABLES</b>	Number / Dia of Wires in inches	Nominal area of con. in sq.mm	Price 90 mt	Price 450 mt	<b>12</b> <b>FLEXIBLE CORD CABLES</b>
	3/36(3/20)	2.5 sq.mm	2780	13900	
	7/36(7/20)	4.0 sq.mm	5480	27400	

Description		Price per 90mts
23/60	Twin Flat	1150
23/60	Twin Parallel	1150

13 MULTICORE CABLES F.R.L.S	Nominal area of conductor in sq.mm	No of Strands / Dia* In mm	List Price Per 100 mt Coils					
			2 Core	3 Core	4 Core	5 Core	6 Core	8 Core
	0.50	16/0.20	2100	2700	3500	4390	5900	7800
	0.75	24/0.20	2710	3750	4850	6000	7900	10200
	1.00	32/0.20	3400	4750	5850	7150	9300	12000
	1.50	30/0.25	4410	6160	7800	10100	13800	17300
	2.50	50/0.25	6820	9180	12500	16300	20000	27200
	4.00	56/0.30	10580	13950	18900	23900	31100	43000
	6.00	84/0.30	15450	22100	27900	36700	46000	-
	10.00	140/0.30	26450	36000	50900	62200	-	-
	16.00	101/0.45	41400	57500	76000	98500	-	-
	25.00	157/0.45	61500	87000	112000	-	-	-
	35.00	220/0.45	84500	116000	159000	-	-	-
	50.00	314/0.45	-	180000	227000	-	-	-
	70.00	354/0.50	-	240000	315000	-	-	-
	95.00	484/0.50	-	-	-	-	-	-
	120.00	614/0.50	-	-	-	-	-	-

14 MULTICORE CABLES	Nominal area of conductor in sq.mm	No of Strands / Dia* In mm	List Price Per 100 mt Coils				
			10 Core	12 Core	16 Core	24 Core	37 Core
	0.50	16/0.20	8900	11000	13800	21000	32000
	0.75	24/0.20	12300	13600	18800	28000	40000
	1.00	32/0.20	14900	17900	22000	33500	54000
	1.50	30/0.25	21000	26200	34000	48000	73000
	2.50	50/0.25	33200	40000	63200	76200	-

15 CO-AXIAL CABLES	Description	Price 90 mts	Price 305 mts	16 WELDING CABLES	Description	Current Rating Amps	Price per meter
		R.G.6 Copper	2150		7200		35 sq.mm
	R.G.6 C.C.S	1450	4800		50 sq.mm	400	650
	R.G.11 Copper	-	16800		70 sq.mm	600	910
	R.G.11 C.C.S	-	9500		95 sq.mm	800	1160

17 TWISTED FLEXIBLE COPPER CABLES	Description	Price 90 mts	18 SOLID SINGLE CORE COPPER	Nominal area of conductor In sq.mm	No. of stand / Nominal Dia*	Price per 90mts
		14/52		640		1.5 sq.mm
	23/52	960		2.5 sq.mm	1/1.78	2610
	40/52	1230		4.0 sq.mm	1/2.24	4230
	14/60	720		6.0 sq.mm	1/2.78	6210
	23/60	1070		10 sq.mm	1/3.55	10980
	40/60	1590		16 sq.mm	-	18000



19 CLOSE CIRCUIT TELEVISION ROUND CABLES (C.C.T.V)	Description	Price 90 mts	20 LAN UTP CABLES	Description	Price per 305 mts
		3+1		2700	
	4+1	3150		CATE 6E+	9500
	5+1	3600		-	-

Note :-

1. The Prices are subject to fluctuate without prior notice. / 2. Sales tax and other local taxes will be charged extra as applicable.
3. Goods are despatched by us on purchaser's risk. / 4. This cancels all our previous price list.

## AXIDE CABLES (India)

MFT by : RAJ RAJENDRA CABLE (India)

8/76, Ram Gali, Vishwas Nagar, Shahdara, Delhi - 110 032.

Customer Care : +91 9940707535

www.axidecables.com

Authorised Dealers

A product of dhukji lashuji